

Extreme Excavators

Parts/Equipment/Services



- **Breakdowns**
- **24 Hour Labour**
- **On & Off Site Repairs**
- **Performance Evaluation**
- **Rebuilds & Midlife Work**
- **Major Component Changeout**
- **Service Exchange Components**
- **Parts**
- **Mackay Workshop** (217 Boundary Road East PAGET QLD 4740)

Rob Darlington – Rob@exservices.com.au – 0400 254 234

Rohan Warwick – Rohan@exservices.com.au – 0417 198 443

Ken Treloar – Ken@exservices.com.au – 0407 110 134

Website – www.exservices.com.au

Extreme Excavators Parts & Equipment



Hitachi EX2500/2600/3600
Centre Joints



Hitachi EX2500/2600 Travel Reductions



Hitachi EX2500/2600/3600/
5500/5600 Track Adjusters



CAT/RH 170, 340 Swing
Reduction



Hitachi EX2500/2600/3600-5
Swing Reductions



Hitachi EX2500/2600/3600/
5500/5600 Bearing Cartridges



Hitachi EX2500/2600/3600
5500/5600 Idler Yokes



CAT/RH 6040/6060/170/340
Track Adiuster

Hitachi EX2500-5/6, EX2600-6, EX3600-5/6, EX5500-5/6, EX5600-6 “H” Link Sets available as Service Exchange.

All our “H” Link sets are manufactured with our own designed and upgraded grease modifications, which reduce the amount of hosing required in this exposed location. By removing hosing in this area, it will help prevent unwanted down time due to a broken grease line causing a grease fault.



<u>MODEL</u>	<u>DESCRIPTION</u>	<u>PART NUMBER</u>	<u>MODEL</u>	<u>DESCRIPTION</u>	<u>PART NUMBER</u>
EX2500-5/6, EX2600-6	“H” LINK R/H & L/H	9161459	EX3600-5/6	LINK R/H INNER	9188289
EX2500-5/6, EX2600-6	LINK L/H INNER	9161506	EX3600-5/6	LINK L/H INNER	9188290
EX2500-5/6, EX2600-6	LINK R/H INNER	9161504	EX3600-5/6	LINK R/H & L/H OUTER	9082459
EX2500-5/6, EX2600-6	LINK L/H OUTER	9161505	EX5500-5/6, EX5600-6	“H” LINK	7036343
EX2500-5/6, EX2600-6	LINK R/H OUTER	9161503	EX5500-5/6, EX5600-6	LINK RH & L/H INNER	9179964
EX3600-5/6	“H” LINK R/H	9238252	EX5500-5/6, EX5600-6	LINK R/H & L/H OUTER	9179963
EX3600-5/6	“H” LINK L/H	9238251			

EX5500-5/6, EX5600-6 Complete Track Frames

We have a set of EX5500-5/6, EX5600-6 Track Frames complete with rollers, idler and drive tumbler available for Hire. This is perfect solution to reduce the down time of your machine while we complete the required repairs to your Track Frames. The below Track Frames are ones we have completed repairs to ready to be fitted onto an EX5600. The repairs included, cleaning, NDT, crack repairs, build-up of mating faces/idler slides, thread repairs, machining, blast/paint, fitment of all components.



Relief Valves Kits for both Hitachi and O&K/CAT Excavators/Shovels

We offer full customised valve kits to suit your requirements for both the Hitachi, O&K, CAT Excavators/Shovels.

- Kits made to suit customers needs (breakdown kits, full kits)
- All new valves set to required pressures
- Genuine valves
- Reduced machine down time (allows for all relief valves to be changed quickly and bench tested later)
- Tuff transport case keeps valves together and free from contamination
- Bench testing and pressure report



Hitachi Breakdown Kit




Hitachi EX5500/5600 Full Relief valve kit

<u>MODEL</u>	<u>DESCRIPTION</u>	<u>PART NUMBER</u>	<u>MODEL</u>	<u>DESCRIPTION</u>	<u>PART NUMBER</u>
Hitachi	Main Relief	0695005	O&K/CAT	Secondary Relief	1520605
Hitachi	Overload Relief	0695006	O&K/CAT	Primary Relief	1455510
Hitachi	Swing Relief	0711102	O&K/CAT	Travel Relief	1455510
Hitachi	Swing Relief	0724101	O&K/CAT	Thermostat Relief	1455204

Extreme Excavators Parts

- Bushes (Hitachi, CAT, O&K,)
- Seals; Dust/Lip (Hitachi)
- Relief Valves (Hitachi, CAT, O&K Excavators/Shovels)
- O-ring Kits
- Duo Cone Seals
- Flange Lock Kits
- Thrust Plates (Hitachi EX1900-5/6, EX2500-5/6, EX3600-5/6, EX5500-5/6, EX5600-6)
- Boom Arch Hose Light Weight Kits (Hitachi EX2500-5/6, EX3600-5/6, EX5500-5/6, Ex5600-6)
- Front Attachment Shim Kits (Hitachi EX2500-5/6, EX3600-5/6, EX5500-5/6, Ex5600-6)



Components for Sale



EX2500 Boom (Crack Report Available)



EX2500 Bucket



EX3600-5 PTO (Rebuilt)



EX3600-5 Swing



RH170 Link



EX3600 Boom Cylinder



EX2500-5/6, EX2600 Track Frames

Machine Stands



- 75T x 1.2m High
 - 250T x 1.3m High
 - 250T x 1.8m High
 - 300T x .4m High
 - 400T x .6m High
 - 100T x Adjustable Height
 (2.53m, 2.64m, 2.84, 3.2m)
- *Can make to customers required size.



Hydraulic Cylinder Units

- 1) Protective Frame
 - 2) Pressure Gauges
 - 3) Return Filter
 - 4) Hydraulic Directional Control Valve
 - 5) Electrical Motor
 - 6) High Pressure Screen
 - 7) Wi-Fi Handheld Controllers
 - 8) Hose Reels
 - 9) Manual Override Operation
 - 10) Manuals and Operation Procedures
- *Custom option available to suit site requirements

